

pH: not applicable

SECTION IV - FIRE AND EXPLOSION DATA

FLASH POINT (DEGREES F<PENSKEY MARTINS CLOSED CUP): none

FIRE EXTINGUISHING MEDIA: Foam, Dry Chemical, Carbon Dioxide, Water spray as suitable for surrounding materials.

FLAMMABLE LIMITS: LOWER: none UPPER: none

SPECIAL FIRE FIGHTING PROCEDURES: Use protective gear with self-contained breathing apparatus.

UNUSUAL FIRE AND EXPLOSION HAZARDS: High dust concentrations from dry fabrication may be explosive if mixed with air and in the presence of an ignition source.

HAZARDOUS COMBUSTION PRODUCTS: CO², CO, HCN similar to wood.

SECTION V - REACTIVITY DATA

STABILITY: Stable.

CONDITIONS TO AVOID: Stable at normal storage conditions. Avoid heating above 450°F.

INCOMPATIBILITY: Oxidizers, strong acids and bases.

HAZARDOUS DECOMPOSITION PRODUCTS: : CO², CO, HCN similar to wood.

HAZARDOUS POLYMERIZATION: Will not occur.

SECTION VI - HEALTH HAZARD INFORMATION

EXPOSURE FROM ROUTINE USE: Dust can cause irritation to the eyes, nose, throat, lungs and skin.

EFFECTS OF OVEREXPOSURE: Prolonged exposure to dust may cause irritation in eyes, nose, throat and/or mouth.

PROBABLE ROUTES OF EXPOSURE: Skin, eyes, inhalation.

EMERGENCY FIRST AID PROCEDURES:

EYE CONTACT: For dust, rinse immediately with water. Remove contact lenses, then flush with large quantities of water for at least 15 minutes. Seek medical attention.

SKIN CONTACT: Routine skin contact with composite or composite dust is unlikely to cause any harm.

INHALATION: For dust, remove to fresh air. Seek medical attention is necessary.

INGESTION: Ingestion of composite or composite dust is unlikely to occur in industrial or commercial use.

SECTION VII - TOXICITY DATA

ORAL: No tests have been performed.

DERMAL: No tests have been performed.

INHALATION: No tests have been performed.

EYE: No tests have been performed.

CARCINOGENICITY: Cotton fabric - Phenolic composite has not been evaluated for carcinogenicity.

SECTION VIII - SPECIAL PROTECTION INFORMATION

WORK and HYGIENE PRACTICES: Avoid getting dust in your eyes. Avoid blowing dust with compressed air. Avoid prolonged or repeated breathing of dust. Avoid open flame and contact with oxidizing agents. Use proper personal protection (see below).

STORAGE and HANDLING PRACTICES: No special handling requirements. Where dust is stored for disposal, keep in a cool area away from heat, ignition sources and oxidizing agents.

PROTECTIVE PRACTICES DURING MAINTENANCE OF CONTAMINATED EQUIPMENT: Keep open ignition sources out of areas where dust is generated.

VENTILATION and ENGINEERING CONTROLS: Provide adequate general and local exhaust ventilation to maintain airborne concentrations below the exposure limits and to maintain healthful working conditions. To avoid static spark, electrically ground and bond all equipment used in and around processes that involve dust generation. Enclose processes, where possible, to prevent/minimize dust dispersion into work areas.

RESPIRATORY PROTECTION: Where significant exposures to nuisance dust are possible, respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2-1992). A written respiratory protection program, including provisions for medical certification, training, fit-testing, exposure assessments, maintenance, inspection, cleaning and convenient, sanitary storage must be implemented. If concentrations are below the TLV and/or PEL, a NIOSH approved disposable dust/mist respirator may be used for personal comfort. For concentrations above the TLV and/or PEL, but less than 10 times the limits, a NIOSH approved half-facepiece respirator equipped with dust/mist cartridges may be used. For concentrations greater than 10 times the TLV and/or PEL, consult the NIOSH respirator decision logic found in Publication No. 87-1-16 or ANSI Z88.2-1992. Note: ANSI Z88.2-1992 requires the use of a HEPA filter if the particle size distribution of the contaminant is unknown. **Warning!** Air-purifying respirators do not protect workers in oxygen deficient atmospheres.

EYE PROTECTION: Wear safety glasses or goggles if flying dust may blow into the eyes. Ensure compliance with OSHA's personal protective equipment standard 29 CFR 1910.133 for eye and face protection.

HAND and BODY PROTECTION: None needed.

SECTION IX - SPILL, LEAK AND DISPOSAL PROCEDURES

IN CASE MATERIAL IS SPILLED OR RELEASED: None - Solid non-hazardous material.

SECTION IX - SPILL, LEAK AND DISPOSAL PROCEDURES

IN CASE MATERIAL IS SPILLED OR RELEASED: None - Solid non-hazardous material.

SECTION X - REGULATORY INFORMATION

FDA: n/a

USDA: n/a

CPSC: n/a

TSCA: n/a

DOT: n/a

EPA: n/a

EFFECTIVE DATE: June 3, 2013.

IMPORTANT: This information and data contained herein are believed to be accurate and have been compiled from sources believed to be accurate. All information contained herein is offered for your consideration, information, investigation and verification.

plastruct polyzone The world of plastics at your door MAKES NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, CONCERNING THE ACCURACY OR COMPLETENESS OF THE INFORMATION AND DATA HEREIN. THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE SPECIFICALLY EXCLUDED. **plastruct polyzone** The world of plastics at your door will not be responsible for claims relating to any parties' use of or reliance on information and data contained herein regardless of whether it is claimed that the information are inaccurate, incomplete or otherwise misleading.

plastruct  polyzone

The world of plastics at your door.

Phone 905-563-0226 • Toll Free 1-800-642-7797 • Fax 905-563-0228
www.polyzone.com

4305 Springcreek Rd., Vineland, Ontario, Canada L0R 2C0